ROBO-FIT, LLC



NEEDLE VALVES

CONSTRUCTION	CA360 Brass CA377 Brass	<u></u>	FLOW NOTATION
APPLICATIONS	 In Line Shut Off Air Drain Use with copper, aluminum, plastic tubing as applicable 		
RANGES	•Maximum Pressure: 150 PSI •Temperature: -20° F to +175° F		ld enter from the bottom hole (shown nd exit the top hole (shown right).

NOTES

• Parts that include "PBF" are supplied as low lead compliant.



- Part numbers without the "PBF" distinction are <u>NOT</u> lead free complaint.
- Non-stock items and special parts are available on a quotation basis.
- Configurations and dimensions are subject to change without notice.


WARNING: Products offered by Robo-Fit can expose you to chemicals such as lead, a chemical which is known to the State of California to cause cancer, birth defects, or other reproductive harm. For more information go to www.P65Warnings.ca.gov

ROBO-FIT, LLC



NEEDLE VALVE FPT X FPT


PART NUMBER	FPT	Α	В
31NV	1/8"	1.60	1.25
32NV	1/4"	1.80	1.82





NEEDLE VALVE FPT X MPT


PART NUMBER	FPT	МРТ	Α	В	
48NV	1/8"	1/8"	1.30	1.25	
49NV	1/4"	1/4"	1.86	1.87	Î
4911	1/4	1/4	1.00	1.07	





NEEDLE VALVE MPT X MPT


PART NUMBER	MPT	Α	В
108MP	1/8"	1.60	1.25
110MP	1/4"	1.92	1.65





NEEDLE VALVE COMPRESSION x MPT


PART NUMBER	O.D. TUBE	МРТ	Α	В
101CP	1/4"	1/8"	1.50	1.50
101CP-4	1/4"	1/4"	1.40	1.60
102CP	5/16"	1/8"	1.50	1.50
143CP	3/8"	1/4"	1.80	1.80





NEEDLE VALVE COMPRESSION x COMPRESSION


PART NUMBER	O.D. TUBE	O.D. TUBE	Α	В
106CC	1/4"	1/4"	1.30	1.80
107CC	5/16"	5/16"	1.20	1.70
113CC	3/8"	3/8"	1.90	1.80





NEEDLE VALVE COMPRESSION x MPT

PART NUMBER	O.D. TUBE	МРТ	Α	В
103CC	1/4"	1/8"	1.80	.80
103-4CC	1/4"	1/4"	2.10	.90
203CC	5/16"	1/8"	1.80	.90
303ACC	3/8"	1/8"	2.20	1.00
303CC	3/8"	1/4"	2.20	1.00








NEEDLE VALVE FLARE x MPT 90°

PART NUMBER		МРТ	Α	в	3
103SAE	1/4"	1/8"	1.80	.73	
203SAE	5/16"	1/8"	1.32	.78	
204SAE	5/16"	1/4"	1.54	.84	
303SAE	3/8"	1/4"	1.54	.91	

T	- <u> </u>	D
A	FLOW	
_	B	

NEEDLE VALVE FLARE x FLARE

PART NUMBER	O.D. TUBE	Α	В
110SAE	1/4"	1.30	1.50
115SAE	3/8"	1.70	1.88







PART NUMBER	O.D. TUBE	MPT	Α	В
104SAE	1/4"	1/8"	1.30	1.30
105SAE	1/4"	1/4"	1.62	1.30
106SAE	5/16"	1/8"	1.36	1.45
108SAE	3/8"	1/4"	1.70	1.70

